

## Backlit

DISTEC develops different sizes and shapes of static backlits, with or without pole. Standard sizes are 6x3 meters (48-Sheet) and 12x3 meters (96-Sheet) but we are open to any size required.



The units have been tested under different weather conditions.

In standard they will come with a manual PosterLift-system allowing to change images from the button and meeting the health and safety requirements in several countries around the globe.

The image itself has to be equipped (welded or stitched) with a keder on all four sides. Installation of the image takes only a couple of minutes.

The keder-equipped sides will slide into the internal track system of the box and supports the image to be lifted and stretched by using a manual wind.



An additional tensioning system on the right side of the box allows to stretch the image horizontally for premium performance.

We use standard fluorescent lamps, quantity depending on size, operated by electronic ballasts for economical reasons.


The units are generally made out of powder coated aluminum extrusions. They can be delivered assembled or disassembled. On the back side they are equipped with DISTEC's hang-in system which allows quick installation on location.

But we produce classic billboards as well in combination with integrated lighting systems.

Customized design is always available.



▶ Backlit 6x3m (48-Sheet)




Scale 1:30

poster dimensions for **Special Keder:** 6190 x 3210

poster dimensions for **Standard Keder:** 6130 x 3160

▶ Backlit 12x3m (96-Sheet)



Scale 1:60

poster dimensions: 12210 x 3065